

EXPERIMENTAL TECHNIQUES

1999

E.P. Benis, T.J.M. Zouros and P. Richard,
*High Resolution RTE Measurements at zero degrees
using a Hemispherical Analyser with Lens and 2-D PSD,*
Nucl. Instr. & Meth. in Phys. Res. B **154**, 276-80 (1999)

E.P. Benis, T.J.M. Zouros, H. Aliabadi and P. Richard,
Hemispherical analyser with 2-D PSD for zero-degree Auger projectile spectroscopy,
Physica Scripta **T80B**, 529-31 (1999)

T. Bergen, X. Biquard, A. Brenac, F. Chandezon, B.A. Huber, D. Jalabert, H. Lebius, M. Maurel,
E. Monnard, J. Opitz, A. Pesnelle, B. Pras, C. Ristori, and J.C. Rocco,
*Cluster-multiply charged ion crossed-beam apparatus : multi-ionization of clusters by ion
impact,*
Rev. Sci. Instruments **70** (8), 3244 (1999)

R. Trassl, W.R. Thompson, F. Brötz, M. Pawlowsky, R.W. McCullough, E. Salzborn,
*Development of a 10 GHz "Multi-Mode" ECR ion source for the production of multiply charged
ions from metallic elements,*
Physica Scripta Vol. **T80**, 504 (1999)

R. Traßl, F. Brötz, M. Pawlowsky, W. Arnold, R.W. McCullough and E. Salzborn
*An All-Permanent Magnet 10 GHz Multi-Mode ECR Ion Source for the Production of Metallic
Ions*
Proceedings 14th International ECRIS-Workshop, CERN, Geneva, 3.-6. May, 1999
CERN-PS-Division, p. 202-204

2000

E.P. Benis and T.J.M. Zouros,
*Improving the Energy Resolution of a Hemispherical
spectrograph using a Paracentric Entry at a Non-Zero Potential,*
Nuclear Instrum. & Meth. A., Letter to the editor **440**, 462-5 (2000)

X. Biquard, A. Brenac, F. Gustavo, and D. Hitz,
Status report of the accelerator for multiply-charged ions (AIM) in Grenoble,
Rev. Sci. Instrum. **71**, 2041-2044 (2000)

F. J. Currell, J. Asada, T.V. Back, C.Z. Dong, H.S. Margolis, N. Nakamura, S. Ohtani, J.D.
Silver and H. Watanabe,
*Application to argon ions of a new technique to measure the two-electron contribution to the
ground state energy of helium-like ions,*
J. Phys. B: At. Mol. Opt. Phys. **33**, 727-734 (2000)

D. Küchler, F. Ullmann, T. Werner, G. Zschornack, H. Tyrroff, P. Grübling,
Numerical Modelling and X-Ray Spectroscopy of ECR Plasmas,

Nucl. Instr. Meth. B **168**, 566-577 (2000)

H. Kuramoto et. al.,
High energy operation of the Tokyo-electron beam ion trap/present status 2000,
Rev. Sci. Instr. **71** 687-689 (2000)

V.P.Ovsyannikov, G.Zschornack, F.Großmann, O.K.Koulthachev, S.Landgraf, F. Ullmann, and T.Werner,
A Novel Room Temperature Electron Beam Ion Trap for Atomic Physics and Materials Research,
Nucl. Instr. Meth. B **161-163**, 1123-1127 (2000)

V.P.Ovsyannikov, G.Zschornack, F.Großmann, S.Landgraf, F.Ullmann, and T.Werner,
Highly Charged Ions Produced at Room Temperature in a Warm Electron Beam Ion Trap,
Rev. Sci. Instrum. **71**, 690-692 (2000)

H. Shimizu et. al.,
Characteristics of the beam line of the Tokyo electron beam ion trap,
Rev. Sci. Instr. **71** 681-68 (2000)

J.W. Turkstra, H.W. Wilschut, D. Meyer, R. Hoekstra and R. Morgenstern,
Laser-cooled targets and recoil ion momentum spectroscopy for fundamental physics studies,
Hyperf. Int., **127** , 533-536 (2000)

F.Ullmann, G.Zschornack, H.Tyroff,
Ion Charge State Distributions in ECR Plasmas Determined from Mass Spectrometry and X-Ray Spectrometry,
Nucl. Instr. Meth. B**160**, 290-300 (2000)

I. Villette, M. Barat, P. Roncin,
Calibration of a multiple microchannel plate detectors system by alpha-induced secondary electrons,
Rev. Sci. Instr., **71**, 2367, 2000

T.Werner, G.Zschornack, F.Großmann, V.P.Ovsyannikov, and F.Ullmann,
Highly Charged Metal Ions Produced from Volatile Organometallic Compounds in a Room Temperature Electron beam Ion Trap²,
Rev. Sci. Instrum. **71**, 2038-2040 (2000)

2001

F. Broetz, R. Trassl, R.W. McCullough, W. Arnold and E. Salzborn,
Design of compact all-permanent magnet electron cyclotron resonance ion sources for atomic physics,
Physica Scripta T **92**, 278-280 (2001)

V. Grill, H. Drexel, W. Sailer, M. Lezius and T.D. Märk,
The arking principle of the trochoidal electron monochromator revisited,
Int. J. Mass Spectrom., **205**, 209-226 (2001)

Werner, G. Zschornack, F. Großmann, V.P. Ovsyannikov and F. Ullman,
X-ray spectroscopy of neon-like xenon at the Dresden EBIT,
Physica Scripta, **T92**, 241-243 (2001)

T.J.M. Zouros, E.P. Benis and J.E. Schauer,
Charge particle trajectories in an ideal paracentric hemispherical deflection analyzer,
Applications of Accelerators in research and Industry – Sixteenth Int'l Conf., edited by J.L.
Duggan and I.L. Morgan, AIP Press, CP576, 76-79 (2001)

2002

Andersen J.U., Hvelplund P., Nielsen S. Brøndsted, Tomita S., Wahlgreen H., Møller S. Pape,
Pedersen U.V., Forster J.S. and Jørgensen T.J.D.
*The combination of an electrospray ion source and an electrostatic storage ring for lifetime and
spectroscopy experiments on biomolecules*.
Rev. Sci. Instr. **73**, 1284 (2002).

E.P. Benis, M. Zamkov, P. Richard and T.J.M. Zouros:
A technique for measuring the metastable fraction of two-electron beams,
Brief Reports in Phys. Rev. A **65**, 064701 (2002).

T.J.M. Zouros and E.P. Benis:
*The Hemispherical Deflector Analyser revisited: I. Generalized entry conditions, Kepler orbits
and spectrometer basic equation*
Invited Review, J. Elec. Spectr. & Rel. Phenom. **125**, 221-248 (2002).

2003

H. Lebius, A. Brenac, B.A. Huber, L. Maunoury, F. Gustavo, and D. Cormier,
'Highly charged ion beams at eV kinetic energies: Ion extraction and electrostatic deceleration'
Rev. Sci. Instr. **74**, 2276 (2003)

In print

Currell F J, Aiken J A, Dunn K F, Lu X, McCullough R W, Sokell E J, O'Rourke B E, Krastev V
and Watanabe H
A new device for the study of electron-ion interactions
Nucl. Instrum. Methods Phys. Res. B, in print (2003)

E. Galutschek, H.D. Falter, M. Abdel-Rahman, HP. Winter, F. Aumayr, R. Trassl and E. Salzborn,
First results on the performance of a new 14.5 GHz ECRIS
11th International Conference on the Physics of Highly Charged Ions Caen, France
Nucl. Instrum Methods in Phys. Res. B, in print (2003)